

Power Cable

LinkIT Power Cable CEE 7/7 - C13 Black PVC 2.0 m

PVC 3 x 0,75 mm²

Product number: NYESC13-2M

EI-number: 6955977

Product Description

Power cable with CEE 7/7 to C13 in black color. This cable is normally used as a power cable to monitor or PC. Certifications: RoHs, CE, VDE.

Main Specifications

Brand	LinkIT
Color	Black
Length (m)	2
Connector type 1	CEE 7/7
Connector type 2	C13 (F)
Conductor material	3 Wire
Cable type	H05VV-F
Number of conductors	3

Extended Specifications

NVP value	69%
Jacket material	PVC
Angle contact 1	Angeled
Angle Contact 2	Straight
Voltage	AC 110-250V
Amperage	10A
Conductor colour code	Brown, Blue, Green, Yellow
Operating Temperature	-20 - 70 °C
Halogenfree	X












With Earthing	✓
Certifications	VDE, CE, RoHS, REACH
Gauge	3X0.75mm ²

Single packaging

Unit	PCE
Quantity	1
Height (cm)	2,5
Width (cm)	1
Length(cm)	0,4
Weight (kg)	0,21
Gross Weight (kg)	0,00022
Volum (dm³)	0,001

Dimensional Sketches

RevNo.	Revision note	Date	Signature	Checked																																																																						
																																																																										
<table border="1" style="margin: auto;"> <thead> <tr> <th>P/N</th> <th>L/(mm)</th> <th>T/(mm)</th> </tr> </thead> <tbody> <tr> <td>20249 NYBSC13-1M</td> <td>1000</td> <td>30</td> </tr> <tr> <td>16313 NYBSC13-2M</td> <td>2000</td> <td>50</td> </tr> </tbody> </table>					P/N	L/(mm)	T/(mm)	20249 NYBSC13-1M	1000	30	16313 NYBSC13-2M	2000	50																																																													
P/N	L/(mm)	T/(mm)																																																																								
20249 NYBSC13-1M	1000	30																																																																								
16313 NYBSC13-2M	2000	50																																																																								
																																																																										
																																																																										
<p>NOTES:</p> <ol style="list-style-type: none"> 1. Open/Short/Intermittence:100% 2. Rated voltage:250V 3. Rated current:10A 4. Max. Working Temperature:70°C 5. IEC/TC20 Class:IP22 6. RoHS & REACH Compliant 																																																																										
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>NO.</th> <th>MATERIAL</th> <th>DESCRIPTION</th> <th>QTY.</th> <th>UNIT</th> <th>Lt</th> <th>resref</th> <th>Quantity</th> <th>Title/Name, designation, material, dimension etc</th> <th>Article NO. /Reference</th> </tr> </thead> <tbody> <tr> <td>①</td> <td>PLUG</td> <td>ST3:C13 PVC/BLACK</td> <td>1</td> <td>PCS</td> <td></td> <td>Designed by</td> <td>FLY</td> <td>Checked by</td> <td>HLEN</td> </tr> <tr> <td>②</td> <td>PLUG</td> <td>S03:Angled Schuko PVC/BLACK</td> <td>1</td> <td>PCS</td> <td></td> <td>Approved by - date</td> <td></td> <td>File name</td> <td></td> </tr> <tr> <td>③</td> <td>CABLE</td> <td>H05VV-F 3*0.75mm² PVC/BLACK JACKET OD: 6.5 ± 0.2mm MARKING: <VDE> H05VV-F 3G0.75mm² NINGBO OUSHENG</td> <td>L</td> <td>M</td> <td></td> <td>Date</td> <td>2023.02.23</td> <td>Date</td> <td>2023.02.23</td> </tr> <tr> <td colspan="5"></td> <td>ANGLE:</td> <td colspan="2" style="text-align: center;"></td> <td colspan="2">Angled Schuko TO C13 3*0.75mm²</td> </tr> <tr> <td colspan="5"></td> <td>UNIT:MM</td> <td colspan="2" style="text-align: center;"></td> <td colspan="2">Edition 1</td> </tr> <tr> <td colspan="5"></td> <td colspan="2"></td> <td colspan="2" style="text-align: center;">Sheet 1/1</td> <td></td> </tr> </tbody> </table>					NO.	MATERIAL	DESCRIPTION	QTY.	UNIT	Lt	resref	Quantity	Title/Name, designation, material, dimension etc	Article NO. /Reference	①	PLUG	ST3:C13 PVC/BLACK	1	PCS		Designed by	FLY	Checked by	HLEN	②	PLUG	S03:Angled Schuko PVC/BLACK	1	PCS		Approved by - date		File name		③	CABLE	H05VV-F 3*0.75mm ² PVC/BLACK JACKET OD: 6.5 ± 0.2mm MARKING: <VDE> H05VV-F 3G0.75mm ² NINGBO OUSHENG	L	M		Date	2023.02.23	Date	2023.02.23						ANGLE:			Angled Schuko TO C13 3*0.75mm ²							UNIT:MM			Edition 1									Sheet 1/1		
NO.	MATERIAL	DESCRIPTION	QTY.	UNIT	Lt	resref	Quantity	Title/Name, designation, material, dimension etc	Article NO. /Reference																																																																	
①	PLUG	ST3:C13 PVC/BLACK	1	PCS		Designed by	FLY	Checked by	HLEN																																																																	
②	PLUG	S03:Angled Schuko PVC/BLACK	1	PCS		Approved by - date		File name																																																																		
③	CABLE	H05VV-F 3*0.75mm ² PVC/BLACK JACKET OD: 6.5 ± 0.2mm MARKING: <VDE> H05VV-F 3G0.75mm ² NINGBO OUSHENG	L	M		Date	2023.02.23	Date	2023.02.23																																																																	
					ANGLE:			Angled Schuko TO C13 3*0.75mm ²																																																																		
					UNIT:MM			Edition 1																																																																		
							Sheet 1/1																																																																			

