



## Network Rack Cabinet

**LinkIT Network Rack Cabinet 12U Black**  
W600xD800xH649 | Glass - Perforated

Product number: LI-NR608012B-GP

### Product Description

LinkIT network and server racks are designed for professional IT and AV installations with a focus on stability, cooling, and flexibility. The racks are available in multiple sizes and depths, featuring tempered glass doors, perforated panels, and integrated cable entry points at the top and bottom. Removable side panels, security locks, and complete grounding ensure easy installation and safe operation. Delivered with wheels, feet, and a complete mounting kit. CE and RoHS certified.

### Main Specifications

<b>Brand</b>	LinkIT
<b>Color</b>	Black
<b>Width (mm)</b>	600
<b>Depth (mm)</b>	800
<b>Height (mm)</b>	649
<b>Cable Entries</b>	Top and bottom
<b>Height</b>	12U
<b>Max load capacity (kg)</b>	1000
<b>Net Weight</b>	41,00
<b>Color (RAL)</b>	9004
<b>Height Incl. Caster (mm)</b>	721



## Extended Specifications

<b>Degree of protection (IP)</b>	20
<b>Front door</b>	Tempered Glass door with solid door border
<b>Front door locking system</b>	Swing handle security lock
<b>Rear Door</b>	75% Perforated
<b>Rear door locking system</b>	Swing handle security lock
<b>Sidepanels</b>	Removable with lock
<b>Max Mounting Depth (mm)</b>	636
<b>Standard Mounting Depth (mm)</b>	561
<b>Grounding</b>	Incl. 7 grounding cables connect all parts together
<b>Rail type</b>	S type
<b>Rail number</b>	4
<b>Guarantee (years)</b>	10
<b>Certifications</b>	CE, RoHS
<b>Accessories</b>	4 wheel(2 with brake), 4 feet ,20 screws and cage nuts,1 wrench

## Single packaging

<b>Unit</b>	PCE
<b>Height (cm)</b>	78,6
<b>Width (cm)</b>	66
<b>Length(cm)</b>	86
<b>Weight (kg)</b>	41
<b>Gross Weight (kg)</b>	54,02

## FMOM Documentation

**Function:** Professional network and server racks for secure installation of IT, AV, and network equipment with optimized airflow and cable management.

**Maintenance:** Inspect ventilation, grounding, locks, and mounting hardware regularly. Clean perforated areas to maintain proper airflow.

**Operation:** Designed for indoor use in server rooms, technical rooms, and AV installations. Ensure correct load distribution and sufficient ventilation.

**Management:** Supplied with removable side panels, security locks, grounding cables, wheels, feet, and mounting accessories for easy installation and maintenance. CE and RoHS compliant.



## Dimensional Sketches

