



Network Rack Cabinet

LinkIT Network Rack Cabinet 42U Black
W800xD800xH1983 | Glass - Split Perf

Product number: LI-NR808042B-GPD

Product Description

LinkIT network and server racks are designed for professional IT and AV installations with a focus on stability, cooling, and flexibility. The racks are available in multiple sizes and depths, featuring tempered glass doors, perforated panels, and integrated cable entry points at the top and bottom. Removable side panels, security locks, and complete grounding ensure easy installation and safe operation. Delivered with wheels, feet, and a complete mounting kit. CE and RoHS certified.

Main Specifications

Brand	LinkIT
Color	Black
Width (mm)	800
Depth (mm)	800
Height (mm)	1983
Cable Entries	Top and bottom
Height	42U
Max load capacity (kg)	1000
Net Weight	118,00
Color (RAL)	9004
Height Incl. Caster (mm)	2055



Extended Specifications

Degree of protection (IP)	20
Front door	Tempered Glass door with solid door border
Front door locking system	Swing handle security lock
Rear Door	Split 75% Perforated
Rear door locking system	Swing handle security lock
Sidepanels	Removable with lock
Max Mounting Depth (mm)	636
Standard Mounting Depth (mm)	561
Grounding	Incl. 7 grounding cables connect all parts together
Rail type	S type
Rail number	4
Guarantee (years)	10
Certifications	CE, RoHS
Accessories	4 wheel(2 with brake), 4 feet ,20 screws and cage nuts,1 wrench

Single packaging

Unit	PCE
Height (cm)	212
Width (cm)	86
Length(cm)	86
Weight (kg)	118
Gross Weight (kg)	132,52

FMOM Documentation

Function: Professional network and server racks for secure installation of IT, AV, and network equipment with optimized airflow and cable management.

Maintenance: Inspect ventilation, grounding, locks, and mounting hardware regularly. Clean perforated areas to maintain proper airflow.

Operation: Designed for indoor use in server rooms, technical rooms, and AV installations. Ensure correct load distribution and sufficient ventilation.

Management: Supplied with removable side panels, security locks, grounding cables, wheels, feet, and mounting accessories for easy installation and maintenance. CE and RoHS compliant.



Dimensional Sketches

