

Wall Cabinet

LinkIT Wall Cabinet Hinged 6U Black

W600xD600xH368 | Glass - Hinged frame



Product number: LI-WRH60606B-G

Product Description

LinkIT Wall Cabinet is a robust and space-saving cabinet designed for professional network and IT installations. The cabinet features a tempered glass door with a solid frame, cylinder lock, and removable side panels with lock for easy access and increased security. Multiple cable entries on the top, bottom, and rear provide flexible installation and efficient cable management.

Integrated grounding studs ensure safe operation. The cabinet is compatible with standard 19" rack equipment and is supplied with screws, cage nuts, and mounting tool for easy installation. Available in multiple heights, depths, and colors to suit various installation requirements. CE and RoHS compliant with a 10-year warranty.

Main Specifications

Brand	LinkIT
Color	Black
Width (mm)	600
Depth (mm)	600
Height (mm)	368
Cable Entries	Top, bottom and rear
Height	6U
Max load capacity (kg)	70
Net Weight	22,00
Color (RAL)	9004



Extended Specifications

Degree of protection (IP)	20
Front door	Tempered Glass door with solid door border
Front door locking system	Cylinder lock
Rear Door	N/A
Rear door locking system	N/A
Sidepanels	Removable with lock
Max Mounting Depth (mm)	547
Standard Mounting Depth (mm)	447
Grounding	With grounding studs, no grounding cable
Rail type	L Type
Rail number	4
Guarantee (years)	10
Certifications	CE, RoHS
Accessories	10 screws and cage nuts, 1 wrench

Single packaging

Unit	PCE
Height (cm)	42,8
Width (cm)	66
Length(cm)	66
Weight (kg)	22
Gross Weight (kg)	33,5

FMOM Documentation

Function: Professional 19" wall-mounted cabinets designed for secure installation of network, IT, and AV equipment with efficient cable routing and space-saving design.

Maintenance: Regularly inspect grounding points, locks, mounting rails, and removable panels. Clean glass surfaces and ventilation openings to maintain optimal airflow and operational safety.

Operation: Intended for indoor installation in technical rooms, offices, server environments, and structured cabling installations. Ensure correct load distribution and adequate ventilation during operation.

Management: Supplied with tempered glass door, cylinder lock, removable lockable side panels, grounding studs, cable entries on top, bottom, and rear, and mounting accessories including screws, cage nuts, and installation tool.



Dimensional Sketches

