

ZYNAGE


Product Portfolio

Zynage is a premium signage and display brand **developed from Norway** for the Nordic business environment. The brand focuses on delivering **high-quality display solutions** designed to support clear, effective communication in professional spaces.

www.zynage.com

ZYNAGE

PROFESSIONAL
DISPLAY SOLUTIONS



ZYNAGE

Zynage Professional Display Series

4K UHD Professional Display
500 Nits | 24/7 Operation

Zynage professional displays are designed for modern business environments. Combining Scandinavian design with reliable display technology, Zynage delivers clear, powerful communication for retail, corporate and public spaces.



43" | 55" | 65" | 75" | 86" | 98"

- ✓ 4K UHD Resolution (3840 × 2160)
- ✓ 500 cd/m² High Brightness
- ✓ 24/7 Commercial Operation
- ✓ Wide Viewing Angle (178°)
- ✓ Slim Industrial Design with Narrow Bezel
- ✓ Wireless BYOD: Optional Dongle WD126
- ✓ LAN and RS232 Control Integration
- ✓ USB-C with 65W PD power and integrated BYOD Hub
- ✓ Wireless screen sharing via Miracast, Airplay and Chromecast
- ✓ Multiple Connectivity Options – HDMI, DisplayPort, USB, LAN and RS232
- ✓ 3 Years Warranty
- ✓ Swap-deal with warehouse and support in Norway

Zynage Digital Signage Series delivers **powerful visual performance** for professional environments

Powerful display performance

The Zynage Digital Signage Series delivers powerful visual performance for professional environments. With 4K UHD resolution (3840 × 2160) and 500 cd/m² brightness, the displays provide sharp image quality and excellent visibility in retail stores, corporate environments and public spaces. Wide viewing angles ensure consistent image quality from any position, making the displays ideal for professional digital signage installations.

Flexible connectivity with USB-C and BYOD Hub

Zynage displays are designed for seamless integration into modern AV and collaboration environments. A versatile USB-C connection with Power Delivery enables single-cable operation for video, data and device charging, simplifying connectivity for laptops and mobile devices.

Integrated BYOD (Bring Your Own Device) hub functionality allows users to connect their own devices and instantly access connected peripherals such as cameras, microphones, speakers and touch functionality. Additional connectivity options including HDMI, DisplayPort, USB, LAN and RS232 ensure flexible system integration and reliable remote management in professional installations.

Wireless Screen Sharing for modern collaboration

The displays support convenient wireless screen sharing via Miracast, AirPlay and Chromecast. This enables users to quickly share content from laptops, smartphones and tablets without the need for cables or adapters. The wireless presentation functionality makes the displays ideal for meeting rooms, collaboration spaces and modern workplaces.

Built for reliable commercial operation

The Zynage Digital Signage Series is built for demanding commercial use and supports 24/7 continuous operation. A slim industrial design with narrow bezel ensures a modern appearance suitable for professional environments. Combined with a 3-year commercial warranty and energy-efficient operation, the displays provide a reliable solution for long-term digital signage installations.



3 YEARS WARRANTY



4K UHD



24 / 7 OPERATION



500 NITS BRIGHTNESS

Support

We offer a swap service for our displays, with replacement units stocked centrally in Norway to ensure quick handling in case of any issues. We also provide fast and reliable support.

support@zynage.com



Wireless BYOD

Add the optional Zynage WD126 dongle to enable wireless BYOD in every meeting.



Zynage 43"

Z43DS26



4K UHD Professional Display
500 Nits | 24/7 Operation

TECHNICAL SPECIFICATIONS

Type	Details	Descriptions
Product Form	Dimensions(L*H*D)	964.6 ×552.5 ×62mm
	Net Weight	9.42kg
LCD	Panel Supplier	CSOT
	Screen Size	43"
	Screen Resolution	3840(H)×2160(V)
	Display Area	941.184(H) ×529.416(V)mm
	Frequency	60Hz
	Brightness/(cd/m2)	500cd/m2 (450cd/m2)
	Contrast Ratio	4000:1
	Viewing Angle	178°(H/V)
	Lifetime	≥50000H
	Operating System	System Version
RAM+ROM (Standard)		4G+32G
CPU		Cortex-A73×4
GPU		Mali-G57 MC1
Frame	Color	Down,up,Left and right--black
Power	Power Requirements	100-240V~50/60Hz 2.5A
	Typical Power*[1]	45W
	Max Power*[2] (W/OPS)	222W
Audio	Sound Channel	2,0
	Speaker Power	2×16W
	Sound pressure level	83dBSPL
Input/Output Port	HDMI Input	3
	HDMI OUT	1
	USB2.0	1
	USB 3.0	1
	USB Type-C IN	1
	Audio IN	1
	Audio OUT	1
	SPDIF	1
	RS232 IN	1
	RJ45 IN	1
	RJ45 OUT	1
Power Button	Yes	
Handles	No	

ACCESSORIES

- ✓ AC Power Cable: 1 (EU standard), 1 (US Standard) 3 meters
- ✓ HDMI 2.0 Cable 3 meters
- ✓ Remote Control
- ✓ Battery: Alkaline 7 batteries (pack of two)
- ✓ WiFi-Module: 1
- ✓ Wireless BYOD: Optional Dongle WD126

ZYNAGE

Zynage 55"

Z55DS26



4K UHD Professional Display
500 Nits | 24/7 Operation

TECHNICAL SPECIFICATIONS

Type	Details	Descriptions
Product Form	Dimensions(L*H*D)	1233×703.5×62mm
	Net Weight	13.0kg
LCD	Panel Supplier	CSOT
	Screen Size	55"
	Screen Resolution	3840(H)×2160(V)
	Display Area	1209.60(H)×680.40(V)mm
	Frequency	60Hz
	Brightness/(cd/m2)	500cd/m2 (450cd/m2)
	Contrast Ratio	5000:1
	Viewing Angle	178°(H/V)
	Lifetime	≥50000H
	Operating System	System Version
RAM+ROM (Standard)		4G+32G
CPU		Cortex-A73×4
GPU		Mali-G57 MC1
Frame	Color	Down,up,Left and right--black
Power	Power Requirements	100-240V~50/60Hz 2.5A
	Typical Power*[1]	67W
	Max Power*[2] (W/OPS)	235W
Audio	Sound Channel	2,0
	Speaker Power	2×16W
	Sound pressure level	84dBSPL
Input/Output Port	HDMI Input	3
	HDMI OUT	1
	USB2.0	1
	USB 3.0	1
	USB Type-C IN	1
	Audio IN	1
	Audio OUT	1
	SPDIF	1
	RS232 IN	1
	RJ45 IN	1
	RJ45 OUT	1
Power Button	Yes	
Handles	No	

ACCESSORIES

- ✓ AC Power Cable: 1 (EU standard), 1 (US Standard) 3 meters
- ✓ HDMI 2.0 Cable 3 meters
- ✓ Remote Control
- ✓ Battery: Alkaline 7 batteries (pack of two)
- ✓ WiFi-Module: 1
- ✓ Wireless BYOD: Optional Dongle WD126

ZYNAGE

Zynage 65"

Z65DS26



4K UHD Professional Display
500 Nits | 24/7 Operation

TECHNICAL SPECIFICATIONS

Type	Details	Descriptions
Product Form	Dimensions(L*H*D)	1463.3×838.3×68mm
	Net Weight	23.73kg
LCD	Panel Supplier	CSOT
	Screen Size	65"
	Screen Resolution	3840(H)×2160(V)
	Display Area	1428.48(H)×803.52(V)mm
	Frequency	60Hz
	Brightness/(cd/m2)	500cd/m2 (450cd/m2)
	Contrast Ratio	5000:1
	Viewing Angle	178°(H/V)
	Lifetime	≥50000H
	Operating System	System Version
RAM+ROM (Standard)		4G+32G
CPU		Cortex-A73×4
GPU		Mali-G57 MC1
Frame	Color	Down,up,Left and right--black
Power	Power Requirements	100-240V~50/60Hz 3.0A
	Typical Power*[1]	96W
	Max Power*[2] (W/OPS)	274W
Audio	Sound Channel	2,0
	Speaker Power	2×16W
	Sound pressure level	85dBSPL
Input/Output Port	HDMI Input	3
	HDMI OUT	1
	USB2.0	1
	USB 3.0	1
	USB Type-C IN	1
	Audio IN	1
	Audio OUT	1
	SPDIF	1
	RS232 IN	1
	RJ45 IN	1
RJ45 OUT	1	
Power Button	Yes	
Handles	Yes	

ACCESSORIES

- ✓ AC Power Cable: 1 (EU standard), 1 (US Standard) 3 meters
- ✓ HDMI 2.0 Cable 3 meters
- ✓ Remote Control
- ✓ Battery: Alkaline 7 batteries (pack of two)
- ✓ WiFi-Module: 1
- ✓ Wireless BYOD: Optional Dongle WD126

ZYNAGE

Zynage 75"

Z75DS26



4K UHD Professional Display
500 Nits | 24/7 Operation

TECHNICAL SPECIFICATIONS

Type	Details	Descriptions
Product Form	Dimensions(L*H*D)	1685.6×963.7×68mm
	Net Weight	33.22kg
LCD	Panel Supplier	CSOT
	Screen Size	75"
	Screen Resolution	3840(H)×2160(V)
	Display Area	1650.24(H)×928.26(V)mm
	Frequency	60Hz
	Brightness/(cd/m2)	500cd/m2 (450cd/m2)
	Contrast Ratio	5000:1
	Viewing Angle	178°(H/V)
	Lifetime	≥50000H
	Operating System	System Version
RAM+ROM (Standard)		4G+32G
CPU		Cortex-A73×4
GPU		Mali-G57 MC1
Frame	Color	Down,up,Left and right--black
Power	Power Requirements	100-240V~50/60Hz 3.5A
	Typical Power*[1]	116W
	Max Power*[2] (W/OPS)	342W
Audio	Sound Channel	2,0
	Speaker Power	2×16W
	Sound pressure level	85dBSPL
Input/Output Port	HDMI Input	3
	HDMI OUT	1
	USB2.0	1
	USB 3.0	1
	USB Type-C IN	1
	Audio IN	1
	Audio OUT	1
	SPDIF	1
	RS232 IN	1
	RJ45 IN	1
RJ45 OUT	1	
Power Button	Yes	
Handles	Yes	

ACCESSORIES

- ✓ AC Power Cable: 1 (EU standard), 1 (US Standard) 3 meters
- ✓ HDMI 2.0 Cable 3 meters
- ✓ Remote Control
- ✓ Battery: Alkaline 7 batteries (pack of two)
- ✓ WiFi-Module: 1
- ✓ Wireless BYOD: Optional Dongle WD126

ZYNAGE

Zynage 86"

Z86DS26



4K UHD Professional Display
500 Nits | 24/7 Operation

TECHNICAL SPECIFICATIONS

Type	Details	Descriptions
Product Form	Dimensions(L*H*D)	1930.8×1101.7×68mm
	Net Weight	40.8kg
LCD	Panel Supplier	BOE
	Screen Size	86"
	Screen Resolution	3840(H)×2160(V)
	Display Area	1895.04(H)×1065.96(V)mm
	Frequency	60Hz
	Brightness/(cd/m2)	500cd/m2 (450cd/m2)
	Contrast Ratio	1200:1
	Viewing Angle	178°(H/V)
	Lifetime	≥50000H
	Operating System	System Version
RAM+ROM (Standard)		4G+32G
CPU		Cortex-A73×4
GPU		Mali-G57 MC1
Frame	Color	Down,up,Left and right--black
Power	Power Requirements	100-240V~50/60Hz 4.5A
	Typical Power*[1]	147W
	Max Power*[2] (W/OPS)	376W
Audio	Sound Channel	2,0
	Speaker Power	2×16W
	Sound pressure level	84dBSPL
Input/Output Port	HDMI Input	3
	HDMI OUT	1
	USB2.0	1
	USB 3.0	1
	USB Type-C IN	1
	Audio IN	1
	Audio OUT	1
	SPDIF	1
	RS232 IN	1
	RJ45 IN	1
	RJ45 OUT	1
Power Button	Yes	
Handles	Yes	

ACCESSORIES

- ✓ AC Power Cable: 1 (EU standard), 1 (US Standard) 3 meters
- ✓ HDMI 2.0 Cable 3 meters
- ✓ Remote Control
- ✓ Battery: Alkaline 7 batteries (pack of two)
- ✓ WiFi-Module: 1
- ✓ Wireless BYOD: Optional Dongle WD126

ZYNAGE

Zynage 98"

Z98DS26



4K UHD Professional Display
500 Nits | 24/7 Operation

TECHNICAL SPECIFICATIONS

Type	Details	Descriptions
Product Form	Dimensions(L*H*D)	2198.9×1254.6×68.6mm
	Net Weight	53.9kg
LCD	Panel Supplier	BOE
	Screen Size	98"
	Screen Resolution	3840(H)×2160(V)
	Display Area	2158.848(H)×1214.352(V)mm
	Frequency	60Hz
	Brightness/(cd/m2)	500cd/m2 (450cd/m2)
	Contrast Ratio	1200:1
	Viewing Angle	178°(H/V)
	Lifetime	≥50000H
	Operating System	System Version
RAM+ROM (Standard)		4G+32G
CPU		Cortex-A73×4
GPU		Mali-G57 MC1
Frame	Color	Down,up,Left and right--black
Power	Power Requirements	100-240V~50/60Hz 5.0A
	Typical Power*[1]	173W
	Max Power*[2] (W/OPS)	485W
Audio	Sound Channel	2,0
	Speaker Power	2×16W
	Sound pressure level	85dBSPL
Input/Output Port	HDMI Input	3
	HDMI OUT	1
	USB2.0	1
	USB 3.0	1
	USB Type-C IN	1
	Audio IN	1
	Audio OUT	1
	SPDIF	1
	RS232 IN	1
	RJ45 IN	1
RJ45 OUT	1	
Power Button	Yes	
Handles	Yes	

ACCESSORIES

- ✓ AC Power Cable: 1 (EU standard), 1 (US Standard) 3 meters
- ✓ HDMI 2.0 Cable 3 meters
- ✓ Remote Control
- ✓ Battery: Alkaline 7 batteries (pack of two)
- ✓ WiFi-Module: 1
- ✓ Wireless BYOD: Optional Dongle WD126

ZYNAGE



ZYNAGE



ZYNAGE

sales@zynage.com
48/48

www.zynage.com

support@zynage.com